Journal of Biomedical Materials Research
Author Index—Volume 45

Amagasa, T. See Isobe, M., 36
Anderson, J. M. See DeFife, K. M., 148
Arbuckle, G. R. See Parr, J. A., 1
Ayers, R. A.
—; Simske, S. J.; Bateman, T. A.; Petkus, A.; Sachdeva, R. L. C.; Gyunter, V. E.: Effect of nitinol implant porosity on cranial bone ingrowth and apposition after 6 weeks, 42

Baba, K. See Li, D.-J., 322
Bateman, T. A. See Ayers, R. A., 42
Bernache-Assollant, D. See Redey, S. A., 140
Bertrand, P. See Detrait, E., 404
Bokros, J. See Haubold, A., 155
Braide, M. See Nygren, H., 117
Breinan, H. A. See Mueller, S. M., 157
Buck, D. See Hollinger, J. O., 294
—; See Winn, S. R., 414
Bundy, K. J. See Shettlemore, M. G., 395
Buser, D.
—; Nydegger, T.; Oxland, T.; Cochran, D. L.; Schenk, R. K.; Hirt, H. P.; Snétivy, D.; Nolte, L.-P.: Interface shear strength of titanium implants with a sandblasted and acid-etched surface: A biomechanical study in the maxilla of miniature pigs, 75

Catanese J., III
—; Featherstone, J. D. B.; Keaveny, T. M.: Characterization of the mechanical and ultrastructural properties of heat-treated cortical bone for use as a bone substitute, 327
Chang, W. H.-S. See Sun, J.-S., 311
Chen, J.-P. See Sun, Y.-M., 125
Chu, D.-H. See Sun, Y.-M., 125
Cigada, A. See Faré, S., 62
Clarson, S. J. See Whitlock, P. W., 55
Cochran, D. L. See Buser, D., 75
Colton, E. See DeFife, K. M., 148
Cournot, G. See Redey, S. A., 140
Cui, P.-C. See Li, D.-J., 322
Currey, J. D. See Zioupos, P., 108

Dalton, B. A.
—; Evans, M. D. M.; McFarland, G. A.; Steele, J. G.: Modulation of corneal epithelial stratification by polymer surface topography, 384
Dasarathy, H. See Kumar, M., 302
DeFife, K. M.
—; Colton, E.; Nakayama, Y.; Matsuda, T.; Anderson, J. M.: Spatial regulation and surface chemistry control of monocyte/macrophage adhesion and foreign body giant cell formation by photochemically micropatterned surfaces, 148
Detrait, E.
—; Lhoest, J.-B.; Bertrand, P.; van den Bosch de Aguilar, Ph.: Fibronectin-pluronic coadsorption on a polystyrene surface with increasing hydrophobicity: Relationship to cell adhesion, 404
Domb, A. J. See Teomim, D., 258
Drobetsky, E. See Robitaille, R., 223
Dunn, R. L. See Royals, M. A., 231

Efrati, I. See Freud, E., 84
Ekstrand, J. See Tang, A. T. H., 214
Eriksson, C. See Nygren, H., 117
Evans, M. D. M. See Dalton, B. A., 384

Faré, S.
—; Petrini, P.; Motta, A.; Cigada, A.; Tanzi, M. C.: Synergistic effects of oxidative environments and mechanical stress on *in vitro* stability of polyetherurethanes and polycarbonateurethanes, 62
Featherstone, J. D. B. See Catanese J., III, 327
Ferraz, M. P.
—; Monteiro, F. J.; Santos, J. D.: CaO-P_2O_5 glass hydroxyapatite double-layer plasma-sprayed coating: *In vitro* bioactivity evaluation, 376
Finally, R. See Freud, E., 84
Freud, E.
—; Efrati, I.; Kidron, D.; Finally, R.; Mares, A. J.: Comparative experimental study of esophageal wall regeneration after prosthetic replacement, 84
Fujita, H. See Okada, Y., 277
Fujita, S. M. See Royals, M. A., 231
Fukushima, S. See Takei, I., 175

Garetto, L. P. See Parr, J. A., 1
Ghazi, M. See Wataha, J. C., 251
Godbey, W. T.
—; Wu, K. K.; Mikos, A. G.: Size matters: Molecular weight affects the efficiency of poly(ethylenimine) as a gene delivery vehicle, 268
Goodman, S. L.
—; Sheep, pig, and human platelet–material interactions with model cardiovascular biomaterials, 240
Grainger, D. See Winn, S. R., 414
Gramain, Ph. See Poumier, F., 92
Gyunter, V. E. See Ayers, R. A., 42

Haikel, Y. See Poumier, F., 92
Hallé, J.-P. See Robitaille, R., 223
Hamasaki, M. See Takei, I., 175
Hamer, A. J. See Zioupos, P., 108
Han, Y.
—; Xu, K.; Lu, J.; Wu, Z.: The structural characteristics and mechanical behaviors of nonstoichiometric apatite coatings sintered in air atmosphere, 198
Hanes, C. M. See Schafer, T. E., 192

Journal of Biomedical Materials Research
Author Index—Volume 45

Amagasa, T. See Isobe, M., 36
Anderson, J. M. See DeFife, K. M., 148
Arbuckle, G. R. See Parr, J. A., 1
Ayers, R. A.
—; Simske, S. J.; Bateman, T. A.; Petkus, A.; Sachdeva, R. L. C.; Gyunter, V. E.: Effect of nitinol implant porosity on cranial bone ingrowth and apposition after 6 weeks, 42

Baba, K. See Li, D.-J., 322
Bateman, T. A. See Ayers, R. A., 42
Bernache-Assollant, D. See Redey, S. A., 140
Bertrand, P. See Detrait, E., 404
Bokros, J. See Haubold, A., 155
Braide, M. See Nygren, H., 117
Breinan, H. A. See Mueller, S. M., 157
Buck, D. See Hollinger, J. O., 294
—; See Winn, S. R., 414
Bundy, K. J. See Shettlemore, M. G., 395
Buser, D.
—; Nydegger, T.; Oxland, T.; Cochran, D. L.; Schenk, R. K.; Hirt, H. P.; Snétivy, D.; Nolte, L.-P.: Interface shear strength of titanium implants with a sandblasted and acid-etched surface: A biomechanical study in the maxilla of miniature pigs, 75

Catanese J., III
—; Featherstone, J. D. B.; Keaveny, T. M.: Characterization of the mechanical and ultrastructural properties of heat-treated cortical bone for use as a bone substitute, 327
Chang, W. H.-S. See Sun, J.-S., 311
Chen, J.-P. See Sun, Y.-M., 125
Chu, D.-H. See Sun, Y.-M., 125
Cigada, A. See Faré, S., 62
Clarson, S. J. See Whitlock, P. W., 55
Cochran, D. L. See Buser, D., 75
Colton, E. See DeFife, K. M., 148
Cournot, G. See Redey, S. A., 140
Cui, P.-C. See Li, D.-J., 322
Currey, J. D. See Zioupos, P., 108

Dalton, B. A.
—; Evans, M. D. M.; McFarland, G. A.; Steele, J. G.: Modulation of corneal epithelial stratification by polymer surface topography, 384
Dasarathy, H. See Kumar, M., 302
DeFife, K. M.
—; Colton, E.; Nakayama, Y.; Matsuda, T.; Anderson, J. M.: Spatial regulation and surface chemistry control of monocyte/macrophage adhesion and foreign body giant cell formation by photochemically micropatterned surfaces, 148
Detrait, E.
—; Lhoest, J.-B.; Bertrand, P.; van den Bosch de Aguilar, Ph.: Fibronectin-pluronic coadsorption on a polystyrene surface with increasing hydrophobicity: Relationship to cell adhesion, 404
Domb, A. J. See Teomim, D., 258
Drobetsky, E. See Robitaille, R., 223
Dunn, R. L. See Royals, M. A., 231

Efrati, I. See Freud, E., 84
Ekstrand, J. See Tang, A. T. H., 214
Eriksson, C. See Nygren, H., 117
Evans, M. D. M. See Dalton, B. A., 384

Faré, S.
—; Petrini, P.; Motta, A.; Cigada, A.; Tanzi, M. C.: Synergistic effects of oxidative environments and mechanical stress on *in vitro* stability of polyetherurethanes and polycarbonateurethanes, 62
Featherstone, J. D. B. See Catanese J., III, 327
Ferraz, M. P.
—; Monteiro, F. J.; Santos, J. D.: CaO-P_2O_5 glass hydroxyapatite double-layer plasma-sprayed coating: *In vitro* bioactivity evaluation, 376
Finally, R. See Freud, E., 84
Freud, E.
—; Efrati, I.; Kidron, D.; Finally, R.; Mares, A. J.: Comparative experimental study of esophageal wall regeneration after prosthetic replacement, 84
Fujita, H. See Okada, Y., 277
Fujita, S. M. See Royals, M. A., 231
Fukushima, S. See Takei, I., 175

Garetto, L. P. See Parr, J. A., 1
Ghazi, M. See Wataha, J. C., 251
Godbey, W. T.
—; Wu, K. K.; Mikos, A. G.: Size matters: Molecular weight affects the efficiency of poly(ethylenimine) as a gene delivery vehicle, 268
Goodman, S. L.
—; Sheep, pig, and human platelet–material interactions with model cardiovascular biomaterials, 240
Grainger, D. See Winn, S. R., 414
Gramain, Ph. See Poumier, F., 92
Gyunter, V. E. See Ayers, R. A., 42

Haikel, Y. See Poumier, F., 92
Hallé, J.-P. See Robitaille, R., 223
Hamasaki, M. See Takei, I., 175
Hamer, A. J. See Zioupos, P., 108
Han, Y.
—; Xu, K.; Lu, J.; Wu, Z.: The structural characteristics and mechanical behaviors of nonstoichiometric apatite coatings sintered in air atmosphere, 198
Hanes, C. M. See Schafer, T. E., 192

Haubold, A.
—; More, R.; Bokros, J.: Blood compatibility of TiO films (Letter to the Editor), 155
Henley, N. See Robitaille, R., 223
Hidaka, Y. See Ito, M., 204
Hirakawa, K. See Kubo, T., 363
Hirasawa, Y. See Kubo, T., 363
Hirt, H. P. See Buser, D., 75
Holland, N. B.
—; Siedlecki, C. A.; Marchant, R. E.: Intermolecular force mapping of platelet surfaces on collagen substrata, 167
Hollinger, J. O.
—; Schmitt, J. M.; Hwang, K.; Buck, D.: Impact of nicotine on bone healing, 294
—; See Winn, S. R., 414
Howlett, C. R.
—; Zreiqat, H.; Wu, Y.; McFall, D. W.; McKenzie, D. R.: Effect of ion modification of commonly used orthopedic materials on the attachment of human bone-derived cells, 345
Hu, Y. See Winn, S. R., 414
Huang, M. J. See Yang, J.-M., 133
Hung, T.-Y. See Sun, J.-S., 311
Hwang, K. See Hollinger, J. O., 294

Ida, H. See Takei, I., 175
Ii, K. See Li, D.-J., 322
Ikada, Y. See Matsuda, S., 20
Ishihara, K. See Isobe, M., 36
Ishii, M. See Takei, I., 175
Isobe, M.
—; Yamazaki, Y.; Mori, M.; Ishihara, K.; Nakabayashi, N.; Amagasa, T.: The role of recombinant human bone morphogenetic protein-2 in PLGA capsules at an extraskeletal site of the rat, 36
Ito, M.
—; Hidaka, Y.; Nakajima, M.; Yagasaki, H.; Kafrawy, A. H.: Effect of hydroxyapatite content on physical properties and connective tissue reactions to a chitosan–hydroxyapatite composite membrane, 204
Iwata, H. See Matsuda, S., 20

Kafrawy, A. H. See Ito, M., 204
Kanagaraja, S. See Nygren, H., 117
Katsura, Y. See Okada, Y., 277
Keaveny, T. M. See Catanese J., III, 327
Kidron, D. See Freud, E., 84
Kikuchi, A. See Kushida, A., 355
Kim, H.-M.
—; Miyaji, F.; Kokubo, T.; Nishiguchi, S.; Nakamura, T.: Graded surface structure of bioactive titanium prepared by chemical treatment, 100
Kobayashi, M. See Okada, Y., 277
Kokubo, T. See Kim, H.-M., 100
—; See Okada, Y., 277
Konno, C. See Kushida, A., 355
Konttinen, Y. T. See Takei, I., 175
Kubo, T.
—; Sawada, K.; Hirakawa, K.; Shimizu, C.; Takamatsu, T.; Hirasawa, Y.: Histiocyte reaction in rabbit femurs to UHMWPE, metal, and ceramic particles in different sizes, 363
Kuboki, Y. See Ono, I., 337
Kumar, M.
—; Dasarathy, H.; Riley, C.: Electrodeposition of brushite coatings and their transformation to hydroxyapatite in aqueous solutions, 302
Kushida, A.
—; Yamato, M.; Konno, C.; Kikuchi, A.; Sakurai, Y.; Okano, T.: Decrease in culture temperature releases monolayer endothelial cell sheets together with deposited fibronectin matrix from temperature-responsive culture surfaces, 355

Lapp, C. A. See Schafer, T. E., 192
Leblond, F. A. See Robitaille, R., 223
Leroy, G. See Redey, S. A., 140
Lewis, J. B. See Schafer, T. E., 192
Lhoest, J.-B. See Detrait, E., 404
Li, D.-J.
—; Ohsaki, K.; Ii, K.; Cui, P.-C.; Ye, Q.; Baba, K.; Wang, Q.-C.; Tenshin, S.; Takano-Yamamoto, T.: Thickness of fibrous capsule after implantation of hydroxyapatite in subcutaneous tissue in rats, 322
Li, J. See Tang, A. T. H., 214
Lin, F.-H. See Sun, J.-S., 311
Liu, H.-C. See Sun, J.-S., 311
Liu, Y. See Tang, A. T. H., 214
Lockwood, P. E. See Wataha, J. C., 251
Lopes, M. A.
—; Monteiro, F. J.; Santos, J. D.; Serro, A. P.; Saramago, B.: Hydrophobicity, surface tension, and zeta potential measurements of glass-reinforced hydroxyapatite composites, 370
Lu, J. See Han, Y., 198
Lundström, I. See Nygren, H., 117

Ma, P. X. See Zhang, R., 285
Mako, W. J.
—; Shah, A.; Vesely, I.: Mineralization of glutaraldehyde-fixed porcine aortic valve cusps in the subcutaneous rat model: Analysis of variations in implant site and cuspal quadrants, 209
Marchant, R. E. See Holland, N. B., 167
Marek, M. See Wataha, J. C., 251
Mares, A. J. See Freud, E., 84
Matsuda, S.
—; Iwata, H.; Se, N.; Ikada, Y.: Bioadhesion of gelatin films crosslinked with glutaraldehyde, 20
Matsuda, T. See DeFife, K. M., 148
Matsuoka, H. See Okada, Y., 277
McFall, D. W. See Howlett, C. R., 345
McFarland, G. A. See Dalton, B. A., 384
McKenzie, D. R. See Howlett, C. R., 345
Mikos, A. G. See Godbey, W. T., 268
Milthorpe, B. K. See Wei, M., 11
Miyaji, F. See Kim, H.-M., 100
Monteiro, F. J. See Ferraz, M. P., 376
—; See Lopes, M. A., 370
More, R. See Haubold, A., 155
Mori, M. See Isobe, M., 36
Motta, A. See Faré, S., 62
Mueller, S. M.
—; Schneider, T. O.; Shortkroff, S.; Breinan, H. A.; Spector, M.: α-Smooth muscle actin and contractile behavior of bovine meniscus cells seeded in type I and type II collagen-GAG matrices, 157

Nakabayashi, N. See Isobe, M., 36
Nakajima, M. See Ito, M., 204
Nakamura, T. See Kim, H.-M., 100
—; See Okada, Y., 277
Nakayama, Y. See DeFife, K. M., 148
Nardin, M. See Redey, S. A., 140
Nishiguchi, S. See Kim, H.-M., 100
Nolte, L.-P. See Buser, D., 75
Nozaki, M. See Terada, S., 28
Nydegger, T. See Buser, D., 75
Nygren, H.
—; Kanagaraja, S.; Braide, M.; Eriksson, C.; Lundström, I.: Characterization of cellular

response to thiol-modified gold surfaces implanted in mouse peritoneal cavity, 117
Nyska, A. See Teomim, D., 258

Ogino, T. See Takei, I., 175
Ohsaki, K. See Li, D.-J., 322
Okada, Y.
—; Kobayashi, M.; Fujita, H.; Katsura, Y.; Matsuoka, H.; Takadama, H.; Kokubo, T.; Nakamura, T.: Transmission electron microscopic study of interface between bioactive bone cement and bone: comparison of apatite and wollastonite containing glass-ceramic filler with hydroxyapatite and β-tricalcium phosphate fillers, 277
Okano, T. See Kushida, A., 355
—; See Terada, S., 28
Ono, I.
—; Tateshita, T.; Kuboki, Y.: Prostaglandin E_1 and recombinant bone morphogenetic protein effect on strength of hydroxyapatite implants, 337
Ortiz, C.
—; Vázquez, B.; San Román, J.: Hydrophilic acrylic biomaterials derived from vitamin E with antioxidant properties, 184
Oxland, T. See Buser, D., 75

Parr, J. A.
—; Garetto, L. P.; Wohlford, M. E.; Arbuckle, G. R.; Roberts, W. E.: Implant-borne suture expansion in rabbits: A histomorphometric study of the supporting bone, 1
Petkus, A. See Ayers, R. A., 42
Petrini, P. See Faré, S., 62
Pharr, G. M. See Rho, J.-Y., 48
Poumier, F.
—; Schaad, Ph.; Haikel, Y.; Voegel, J. C.; Gramain, Ph.: Dissolution of synthetic hydroxyapatite in the presence of acidic polypeptides, 92
Prud'homme, G. J. See Robitaille, R., 223

Razzouk, S. See Redey, S. A., 140
Redey, S. A.
—; Razzouk, S.; Rey, C.; Bernache-Assollant, D.; Leroy, G.; Nardin, M.; Cournot, G.: Osteoclast adhesion and activity on synthetic hydroxyapatite, carbonated hydroxyapatite, and natural calcium carbonate: Relationship to surface energies, 140
Retzinger, G. S. See Whitlock, P. W., 55
Rey, C. See Redey, S. A., 140
Rho, J.-Y.
—; Roy, M. E., II; Tsui, T. Y.; Pharr, G. M.: Elastic properties of microstructural components of human bone tissue as measured by nanoindentation, 48
Riley, C. See Kumar, M., 302
Roberts, W. E. See Parr, J. A., 1
Robitaille, R.
—; Leblond, F. A.; Henley, N.; Prud'homme, G. J.; Drobetsky, E.; Hallé, J.-P.: Alginate-poly-L-lysine microcapsule biocompatibility: A novel RT-PCR method for cytokine gene expression analysis in pericapsular infiltrates, 223
Rodriguez, J. See Royals, M. A., 231
Roy, M. E., II See Rho, J.-Y., 48
Royals, M. A.
—; Fujita, S. M.; Yewey, G. L.; Rodriguez, J.; Schultheiss, P. C.; Dunn, R. L.: Biocompatibility of a biodegradable *in situ* forming implant system in rhesus monkeys, 231
Ruys, A. J. See Wei, M., 11

Sachdeva, R. L. C. See Ayers, R. A., 42
Sakurai, Y. See Kushida A., 355
San Román, J. See Ortiz, C., 184
Santavirta, S. See Takei, I., 175
Santos, J. D. See Ferraz, M. P., 376
—; See Lopes, M. A., 370
Saramago, B. See Lopes, M. A., 370
Sasaki, K. See Terada, S., 28
Sawada, K. See Kubo, T., 363
Schaad, Ph. See Poumier, F., 92
Schafer, T. E.
—; Lapp, C. A.; Hanes, C. M.; Lewis, J. B.; Wataha, J. C.; Schuster, G. S.: Estrogenicity of bisphenol A and bisphenol A dimethacrylate *in vitro*, 192
Schenk, R. K. See Buser, D., 75
Schmitt, J. M. See Hollinger, J. O., 294
—; See Winn, S. R., 414
Schneider, T. O. See Mueller, S. M., 157
Schultheiss, P. C. See Royals, M. A., 231
Schuster, G. S. See Schafer, T. E., 192
Se, N. See Matsuda, S., 20
Serro, A. P. See Lopes, M. A., 370
Shah, A. See Mako, W. J., 209
Shettlemore, M. G.
—; Bundy, K. J.: Toxicity measurement of orthopedic implant alloy degradation products using a bioluminescent bacterial assay, 395
Shimizu, C. See Kubo, T., 363
Shortkroff, S. See Mueller, S. M., 157
Siedlecki, C. A. See Holland, N. B., 167
Simske, S. J. See Ayers, R. A., 42
Snétivy, D. See Buser, D., 75
Sorrell, C. C. See Wei, M., 11
Spector, M. See Mueller, S. M., 157
Steele, J. G. See Dalton, B. A., 384
Sun, J.-S.
—; Lin, F.-H.; Hung, T.-Y.; Tsuang, Y.-H.; Chang, W. H.-S.; Liu, H.-C.: The influence of hydroxyapatite particles on osteoclast cell activities, 311
Sun, Y.-M.
—; Chen, J.-P.; Chu, D.-H.: Preparation and characterization of α-amylase-immobilized thermal-responsive composite hydrogel membranes, 125
Suzuki, K. See Terada, S., 28

Takadama, H. See Okada, Y., 277
Takagi, M. See Takei, I., 175
Takamatsu, T. See Kubo, T., 363
Takano-Yamamoto, T. See Li, D.-J., 322
Takei, I.
—; Takagi, M.; Santavirta, S.; Ida, H.; Hamasaki, M.; Ishii, M.; Fukushima, S.; Ogino, T.; Konttinen, Y. T.: Matrix metalloproteinases and tissue inhibitors of metalloproteinases in joint fluid of the patients with loose artificial hip joints, 175
Tang, A. T. H.
—; Li, J.; Ekstrand, J.; Liu, Y.: Cytotoxicity tests of *in situ* polymerized resins: Methodological comparisons and introduction of a tissue culture insert as a testing device, 214
Tanzi, M. C. See Faré, S., 62
Tateshita, T. See Ono, I., 337
Tenshin, S. See Li, D.-J., 322
Teomim, D.
—; Nyska, A.; Domb, A. J.: Ricinoleic acid-based biopolymers, 258
Terada, S.
—; Suzuki, K.; Nozaki, M.; Okano, T.;

Sasaki, K.: Experimental study of ectopic-free tissue transfer of rabbit epigastric flap using small-caliber vascular grafts, 28
Tsuang, Y.-H. See Sun, J.-S., 311
Tsui, T. Y. See Rho, J.-Y., 48

van den Bosch de Aguilar, Ph. See Detrait, E., 404
Vázquez, B. See Ortiz, C., 184
Vesely, I. See Mako, W. J., 209
Voegel, J. C. See Poumier, F., 92

Wang, Q.-C. See Li, D.-J., 322
Wataha, J. C.
—; Lockwood, P. E.; Marek, M.; Ghazi, M.: Ability of Ni-containing biomedical alloys to activate monocytes and endothelial cells *in vitro*, 251
—; See Schafer, T. E., 192
Wei, M.
—; Ruys, A. J.; Milthorpe, B. K.; Sorrell, C. C.: Solution ripening of hydroxyapatite nanoparticles: Effects on electrophoretic deposition, 11
Whitlock, P. W.
—; Clarson, S. J.; Retzinger, G. S.: Fibrinogen adsorbs from aqueous media to microscopic droplets of poly(dimethylsiloxane) and remains coagulable, 55
Winn, S. R.
—; Schmitt, J. M.; Buck, D.; Hu, Y.; Grainger, D.; Hollinger, J. O.: Tissue-engineered bone biomimetic to regenerate calvarial critical-sized defects in athymic rats, 414
Wohlford, M. E. See Parr, J. A., 1
Wu, K. K. See Godbey, W. T., 268
Wu, Y. See Howlett, C. R., 345
Wu, Z. See Han, Y., 198

Xu, K. See Han, Y., 198

Yagasaki, H. See Ito, M., 204
Yamato, M. See Kushida, A., 355
Yamazaki, Y. See Isobe, M., 36
Yang, J.-M.
—; Huang, M. J.; Yeh, T.-S.: Preparation of poly(acrylic acid) modified polyurethane membrane for biomaterial by UV radiation without degassing, 133
Ye, Q. See Li, D.-J., 322
Yeh, T.-S. See Yang, J.-M., 133
Yewey, G. L. See Royals, M. A., 231

Zhang, F.
—; Reply to Blood compatibility of TiO films (Letter to the Editor), 155
Zhang, R.
—; Ma, P. X.: Porous poly(L-lactic acid)/apatite composites created by biomimetic process, 285
Zioupos, P.
—; Currey, J. D.; Hamer, A. J.: The role of collagen in the declining mechanical properties of aging human cortical bone, 108
Zreiqat, H. See Howlett, C. R., 345

Journal of Biomedical Materials Research
Subject Index—Volume 45

α-amylase, 125
Acrylic resins, 214
Actin, 157
Adhesion, 20, 55, 140, 148, 167
Adjuvancy, 55
Adsorption, 92
Aging bone, 108
Anisotropy, 48
Aortic valve, 209
Apatite, 92, 100, 198
Apatite and wollastonite containing glass-ceramic, 277
Argatroban, 28
Artificial bone, 327
Atomic force microscopy, 167
Autograft, 294

β-tricalcium phosphate, 277
Bioactive bone cement, 277
Bioactivity, 100, 376
Biocompatibility, 133, 223, 258
Biodegradable polymers, 258
Biomaterials, 140, 363
Bisphenol A, 192
Bisphenol A dimethacrylate, 192
Bonding, 198
Bonding strength, 20
Bone healing, 294
Bone ingrowth, 42
Bone morphogenetic protein, 337
Bone morphogenetic protein-2, 36
Bone regeneration, 414
Bone substitute, 327, 337
Brushite, 302

Calcification, 209
Cell adhesion, 404
Cell culture, 133
Cell orientation, 404
Cellular attachment, 345
Chitosan, 204
Coatings, 11
Cobalt-chromium molybdenum alloy (Co-Cr), 345
Collagen, 108
Collagen matrices, 157
Competitive adsorption, 404
Composite, 285
Composite membranes, 204
Composition, 198
Controlled release system, 36
Corneal epithelium, 384
Craniofacial, 42
Crosslink, 20
Cytokines, 311
Cytotoxicity, 214

Dacron, 84
Demineralization, 92
Dental sealants, 192
Dimethyl sulfoxide, 231
Direct bone formation, 36
Double-layer coatings, 376
DSC, 62

ECM deposition, 384
Elastic modulus, 48
Electrophoretic deposition, 11
Endosseous implant, 1
Endothelial cells, 251, 355
Enzyme immobilization, 125
Esophageal prosthesis, 84
Esophageal reconstruction, 84
Extraskeletal site, 36

Fatty acid ester, 258
Fibrinogen, 55
Fibronectin, 355, 404
Fibrous capsule, 322
Fluorescent bone labels, 1
Foam, 285
Foreign body giant cell, 148
Fragility, 108
Free flap, 28
FTIR, 62

Gel fractionation chromatography (GFC), 268
Gelatin, 20
Gene delivery, 268
Gene therapy, 268
Glass, 376
Glutaraldehyde, 20
GPC, 62
Graded structure, 100

Hardness, 48
Heated bone, 327
HEMA, 28
Histological reaction, 363
Histomorphometry, 1, 322
Host reaction, 223
Human oral fibroblasts, 214
Hydrogel, 184
Hydrophobicity, 370
Hydroxyapatite, 11, 204, 277, 285, 302, 311, 322, 376
Hydroxyapatite ceramics, 337
Hydroxyapatite–glass composites, 370

Implantation, 345
in situ forming implants, 231
in vitro, 157, 240, 251
in vitro stability, 62
Inflammation, 55
Interface shear strength, 75
Interleukin-13, 148
Interstitial lamellae, 48
Ion deposition, 345

Joint fluid, 175

Lactate dehydrogenase, 311
Long-term reaction, 322
Lyodura, 84

Macrophage, 148
Matrix metalloproteinase (MMP), 175
MCF-7 cells, 192
Mechanical heart valves, 240
Mechanical properties, 327
Mechanical strength, 337
Membrane damage, 117
Meniscus, 157
Microcapsules, 223
Microsurgery, 28
Microtox®, 395
Molecular weight, 268
Monocytes, 251
Morphology, 204

N-methyl-2-pyrrolidone, 231
NADPH oxidase, 117

Nanoindentation, 48
Nanoparticles, 11
NaOH treatment, 100
Nickel-containing alloys, 251
Nickel–titanium, 42
Nicotine, 294

Orthopedic metals, 395
Osteoclast, 140
Osteoclasts, 311
Osteogenesis, 337
Osteons, 48
Osteoprecursor cell, 414
Ostwald ripening, 11
Oxidation, 62

Parietal bone wound model, 294
Particle, 363
Phospholipase D, 117
Photochemical micropattern, 148
Physical properties, 204
Plasma spraying, 376
Platelets, 240
Pluronic, 404
Poly(acrylic acid), 133
Poly(dimethylsiloxane), 55
Poly(D,L-lactide), 414
Poly(DL-lactide-*co*-caprolactone), 231
Poly(DL-lactide-co-glycolide), 36
Poly(N-isopropylacrylamide), 125
Poly(*N*-isopropylacrylamide), 355
Polyacrylics, 184
Polyanhydride, 258
Polyethylenimine (PEI), 268
Polymer, 285
Polymeric drugs, 184
Polypeptides, 92
Polytetrafluoroethylene, 84
Polyurethane, 133
Porcine, 209
Porous implants, 42
Propidium iodide, 117
Prostaglandin, 311
Prostaglandin E_1, 337
Prosthetic loosening, 175
Protein kinase C, 117
Proteins, 92
Pyrolytic carbon, 240

Rabbit, 42
Rats, 322
Recombinant human bone morphogenetic protein-2, 414
Removal torques, 75
Residual stress, 198
Respiratory burst, 117
Rhesus monkey, 231
Ricinoleic acid, 258

Scaffold, 285
Segmented polyurethanes, 62
Selective leaching, 395
Semiquantitative RT-PCR, 223
Simulated body fluid, 100
Sintering, 198
Size, 363
SLA surface, 75
Sodium titanate, 100
Spreading, 140
Stiffness, 108
Stratification, 384
Strength, 108
Styrene, 28
Subcutaneous implant, 209
Surface area, 363
Surface energies, 140
Surface free energy, 133
Surface tension, 370
Surface topography, 384
Sutural expansion, 1
Swelling kinetics, 125
Synergism, 395

Temperature-responsive, 355
Temperature-sensitive hydrogel, 125
TGF-β_1, 223
Thrombosis, 240
Tissue engineering, 157, 355
Tissue inhibitor of metalloproteinases (TIMP), 175
Titanium, 1, 100
Titanium implants, 75
Titanium vanadium alloy (Ti-6Al-4V), 345
Total hip arthroplasty (THA), 175
Toughness, 108
Toxicity, 133, 395
TPS surface, 75
Trabecular bone, 48
Transformation and dissolution studies of calcium phosphates, 302
Transmission electron microscopy, 277
Tricalcium phosphate, 370

Ultrastructure, 327

Vitamin E derivatives, 184

Xenoestrogens, 192

Zeta potential, 370